



PRODUCTION EQUIPMENT / 企业简介

公司引进先进的生产设备，并注重技术开发，不间断地培养技术人才，保证产品质量不断更新、跟进国际水准，满足市场需求。为了保证产品质量，本公司从原材料进厂到产品出厂都进行严格的检验，以“生产零缺点的一流品质”为理念，每道工序都严格把关，不让一件不合格产品出公司，让用户百分之百满意是振航对客户承诺。

The introduction of advanced production equipment, and pay attention to technology development, continuous training of technical personnel, to ensure product quality updates, follow the international standards to meet market demand. In order to ensure the quality of products, the company's products from raw materials to the factory are strict inspection, with "first-class quality" zero defect production concept, each process strictly, do not let an unqualified products company, one hundred percent customer satisfaction is the aircraft vibration commitment to customers.

企业愿景：让世界认同振航

我们的愿景要让产品享誉世界。

Corporate vision: let the world agree Zhenhang

Our vision is to make the world famous.

企业使命：集天下才智，创宏伟事业

企业的发展离不开人才，人是第一生产力。


我们的使命就是集一流人才，为中国机械制造业的发展献出至诚至爱。

Enterprise mission: set the world's wisdom, creating a grand cause

The development of enterprises can not do without talent, people are the primary productive forces.

Our mission is to set a first-class talent, give sincere love for the development of China machinery manufacturing industry.





目录 CONTENTS

	尺寸示意图 07 Dimension diagram
	枪头配件 11 Spear parts
	1号枪系列 150Pa 12 Series 1 gun 150Pa
	2号枪系列 150Pa 15 Series 2 gun 150Pa
	3号枪系列 200Pa 19 Series 3 gun 150Pa
	4号枪系列 350Pa 22 Series 4 gun 150Pa
	5号枪系列 250Pa 24 Series 5 gun 150Pa
	6&7号枪系列 27 6&7 gun series
	8号&9号枪系列350Pa 28 Gun No. 8 & 9 series 350Pa
	500公斤系列 30 500kg series
	特种枪系列 31 Special gun series
	铜枪系列 33 Copper gun series
	喷杆系列 34 Spray rod series
	配件系列 35 Accessories
	伸缩清洗枪 43 Telescopic cleaning gun
	蒸汽清洗消毒一体机 44 All-in-one steam cleaning and disinfection machine
	洗车机&洗地器系列 45 Wash machine series



尺寸示意图
Dimension diagram



1号D

枪长度: 24cm
Gun length: 24cm



1号C

枪长度: 31cm
Gun length: 31cm



1号B

枪长度: 53cm
Gun length: 53cm



1号B大螺帽(包胶)

枪长度: 55cm
Gun length: 55cm



2号D

枪长度: 17cm
Gun length: 17cm



2号C

枪长度: 25cm
Gun length: 25cm



2号B

枪长度: 42cm
Gun length: 42cm



3号D

枪长度: 21cm
Gun length: 21cm



3号D大螺帽

枪长度: 21cm
Gun length: 21cm



3号C

枪长度: 30cm
Gun length: 30cm



3号B

枪长度: 47cm
Gun length: 47cm



3号B大螺帽

枪长度: 53cm
Gun length: 53cm

尺寸示意图
Dimension diagram



4号D

枪长度: 19cm
Gun length: 19cm



4号C

枪长度: 33cm
Gun length: 33cm



4号B

枪长度: 59cm
Gun length: 59cm



5号D+15

枪长度: 30cm
Gun length: 30cm



5号C

枪长度: 30cm
Gun length: 30cm



5号B大螺帽

枪长度: 57cm
Gun length: 57cm



5号B

枪长度: 57cm
Gun length: 57cm



H枪

枪长度: 25cm
Gun length: 25cm



6号D

枪长度: 19cm
Gun length: 19cm



6号C

枪长度: 34cm
Gun length: 34cm



6号B

枪长度: 62cm
Gun length: 62cm

尺寸示意图
Dimension diagram



7号C

枪长度: 18cm
Gun length: 18cm



7号B

枪长度: 59cm
Gun length: 59cm



8号C

枪长度: 35cm
Gun length: 35cm



8号B

枪长度: 60cm
Gun length: 60cm



9号D

枪长度: 18cm
Gun length: 18cm



9号C

枪长度: 35cm
Gun length: 35cm



9号B

枪长度: 59cm
Gun length: 59cm

尺寸示意图 Dimension diagram



500公斤喷枪

枪长度: 121cm
Gun length: 121cm

枪头配件 Spear parts



活接头长度: 3cm
Looper length: 3cm



两位头长度: 4cm
9/5000 Double head length: 4cm



大两位头长度: 5cm
Large two head length: 5cm



调节头长度: 7cm
Adjusting head length: 7cm



单喷嘴长度: 2cm
Single nozzle length: 2cm



鸭嘴头1长度: 9cm
Duck bill head 1 length: 9cm



鸭嘴头2长度: 10cm
Duck bill 2 length: 10cm

1号枪 Series 1 Gun

最高压力15Mpa
Maximum Pressure 15mpa



1101

1号两位280塑枪D
Model 1 2-outlet 280 plastic spray gun D



1102

1号鸭嘴280塑枪D
Model 1 duckbill 280 plastic spray gun D



1103

1号280活接(蓝色)塑枪D
Model 1 280 plastic spray gun D with removable connector (blue)



1104

1号280活接(包胶)塑枪D
Model 1 280 Loosely connected (coated with glue) plastic gun D



1105

1号280调节塑枪D
Model 1 duckbill 280 plastic spray gun D



1106

1号280单喷嘴塑枪D
Model 1 1-outlet 280 plastic spray gun D



1107

1号两位280塑枪C
Model 1 2-outlet 280 plastic spray gun C



1108

1号鸭嘴280塑枪C
Model 1 duckbill 280 plastic spray gun C



1109

1号活接280塑枪C
Model 1 280 plastic spray gun C with removable connector



1110

1号调节280塑枪C
Model 1 adjustable 280 plastic spray gun C

进水管接头图例



1



2



3

360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)



4

3/8管接头
3/8 tube connector



5

22x1.5管接头 (22x1.5 外螺纹)
22x1.5 tube connector
(22mm x1.5mm external screw thread)



6

580管接头 (22x1.5 内螺纹)
580 tube connector
(22mm x1.5mm internal screw thread)



7

快插管接头
Quick tube connector

重要提示: 各款枪均可配以上进水接头, 下单时请务必确认好所需品种, 以免差错!
Tips: Water Supply Connectors Are Provided For The Spray Guns Of Different Types, And Please Specify The Type In The Order!

1号枪 Series 1 Gun

最高压力15Mpa
Maximum Pressure 15mpa



1111

1号580活接(包胶)塑枪C
Model 1 580 flexible connection (plastic wrap) plastic gun C



1112

1号580四个喷嘴塑枪
Model 1 4-outlet 580 plastic spray gun



1113

单喷嘴1号塑枪C
Model 1 1-outlet plastic spray gun C



1114

1号鸭嘴580塑枪B
Model 1 duckbill 580 plastic spray gun B



1115

1号活接580塑枪B
Model 1 580 plastic spray gun B with removable connector



1116

1号两位580塑枪B
Model 1 2-outlet 580 plastic spray gun B



1117

1号单喷头580塑枪B
Model 1 1-outlet 580 plastic spray gun B



1118

1号可调580塑枪B
Model 1 adjustable 580 plastic spray gun B

进水管接头图例



1

280平口接头 (14x1.5螺纹)
280 Plain End Connector
(14mm x1.5mm screw thread)



2

280管接头 (14x1.5螺纹)
280 tube connector
(14mm x1.5mm screw thread)



3

360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)



4

3/8管接头
3/8 tube connector

1号枪 Series 1 Gun

最高压力15Mpa
Maximum Pressure 15mpa



1119

1号鸭嘴580塑枪A(C+50)
Model 1 duckbill 580 plastic spray gun A (C+50)



1120

1号两位580塑枪A(B+38)
Model 1 2-outlet 580 plastic spray gun A (B+38)




1121

1号活接580塑枪A(C+50)
Model 1 580 plastic spray gun A with removable connector (C+50)



1122

1号两位580塑枪A(B+38)
Model 1 2-outlet 580 plastic spray gun A (B+38)



1123

1号鸭嘴580塑枪A(B+38)
Model 1 duckbill 580 plastic spray gun A (B+38)



1124

1号鸭嘴580塑枪A(B+50)
Model 1 duckbill 580 plastic spray gun A (B+50)

2号枪 Series 2 Gun

最高压力15Mpa
Maximum Pressure 15mpa



2101

2号两位280塑枪D
Model 2 2-outlet 280 plastic spray gun D



2102

2号调节280塑枪D
Model 2 adjustable 280 plastic spray gun D



2103

2号280鸭嘴塑枪D
Model 2 duckbill 280 plastic spray gun D



2104

2号280快接枪D
Model 2 280 plastic spray gun D with quick connector



2130

2号22x1.5铝塑枪D
Model 2 22x1.5 Al plastic spray gun D



2106

2号280单喷嘴塑枪D
Model 2 1-outlet 280 plastic spray gun D



2107

2号调节280塑枪C
Model 2 adjustable 280 plastic spray gun C



2108

2号两位280塑枪C
Model 2 2-outlet 280 plastic spray gun C



2109

2号活接280塑枪C
Model 2 280 plastic spray gun C with removable connector



2110

2号鸭嘴280塑枪C
Model 2 duckbill 280 plastic spray gun C



2111

2号280两位15喷杆塑枪
Model 2 2-outlet 280 plastic spray gun with 15cm spray lance



2112

2号280单喷嘴塑枪C
Model 2 1-outlet 280 plastic spray gun C

进水管接头图例



1

280平口接头 (14x1.5螺纹)
280 Plain End Connector
(14mm x1.5mm screw thread)



2

280管接头 (14x1.5螺纹)
280 tube connector
(14mm x1.5mm screw thread)



3

360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)



4

3/8管接头
3/8 tube connector

2号枪 Series 2 Gun

最高压力15Mpa
Maximum Pressure 15mpa



2113

2号D活接双喷嘴塑枪
Model 2 2-nozzle plastic spray gun with removable connector D



2114

2号360鸭嘴塑枪B
Model 2 duckbill 360 plastic spray gun B



2115

2号360活接塑枪B
Model 2 360 plastic spray gun B with removable connector



2116

2号360单喷嘴塑枪B
Model 2 1-outlet 360 plastic spray gun B



2117

2号360两位塑枪B
Model 2 2-outlet 360 plastic spray gun B



2118

2号360调节塑料枪B
Model 2 adjustable 360 plastic spray gun B



2119

2号A调节塑枪 (C+38)
Model 2 adjustable plastic spray gun A (C+38)



5

22x1.5管接头 (22x1.5 外螺纹)
22x1.5 tube connector
(22mm x1.5mm external screw thread)



6

580管接头 (22x1.5 内螺纹)
580 tube connector
(22mm x1.5mm internal screw thread)



7

快插管接头
Quick tube connector



8

22x1.5 内14 (22x1.5 外螺纹)
22mm x1.5mm 14mm (inner diameter)
(22mm x1.5mm external screw thread)

2号枪 Series 2 Gun

最高压力15Mpa
Maximum Pressure 15mpa



2121



2122



2123



2124



2125

进水管接头图例



1



2



3



4

280平口接头 (14x1.5螺纹)
280 Plain End Connector
(14mm X1.5mm screw thread)

280管接头 (14x1.5螺纹)
280 tube connector
(14mm X1.5mm screw thread)

360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)

3/8管接头
3/8 tube connector

2号枪 Series 2 Gun

最高压力15Mpa
Maximum Pressure 15mpa



2126



2127



2128



2129



5



6



7



8

22x1.5管接头 (22x1.5 外螺纹)
22X1.5 tube connector
(22mm x1.5mm external screw thread)

580管接头 (22x1.5 内螺纹)
580 tube connector
(22mm x1.5mm internal screw thread)

快插管接头
Quick tube connector

22x1.5 内14 (22x1.5 外螺纹)
22mm x1.5mm 14mm (inner diameter)
(22mm x1.5mm external screw thread)

3号枪 Series 3 Gun

最高压力28Mpa
Maximum Pressure 28mpa



3201



3202

3号快插活接塑枪D
Model 3 plastic spray gun D with removable nozzle

3号22X1.5内14大两位塑枪D
Model 3 2-outlet plastic spray gun D (external screw thread 22mm x1.5mm and internal diameter 14mm)



3203



3204

3号580鸭嘴塑枪D
Model 3 duckbill plastic spray gun D

3号22X1.5内15小两位塑枪D
Model 3 2-outlet plastic spray gun D (external screw thread 22mm x1.5mm and internal diameter 15mm)



3205



3206

3号580铜头调节枪塑枪D
Model 3 copper-nozzle 580 plastic spray gun D

3号22X1.5内14单喷嘴塑枪D
Model 3 1-nozzle plastic spray gun D (external screw thread 22mm x1.5mm and internal diameter 14mm)

进水管接头图例



1



2



3



4

280平口接头 (14x1.5螺纹)
280 Plain End Connector
(14mm X1.5mm screw thread)

280管接头 (14x1.5螺纹)
280 tube connector
(14mm X1.5mm screw thread)

360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)

3/8管接头
3/8 tube connector

3号枪 Series 3 Gun

最高压力28Mpa
Maximum Pressure 28mpa



3207



3208

3号22X1.5内14小两位塑枪C
Model 3 2-outlet plastic spray gun C (external screw thread 22mm x1.5mm and internal diameter 15mm)

3号快插活接塑枪C
Model 3 plastic spray gun C with removable nozzle



3209



3210

3号22X1.5内14小两位塑枪B
Model 3 2-outlet plastic spray gun B (external screw thread 22mm x1.5mm and internal diameter 15mm)

3号360活接塑枪B
Model 3 plastic spray gun B with removable nozzle



3211



3212

3号22X1.5内14大两位塑枪B
Model 3 2-outlet plastic spray gun B (external screw thread 22mm x1.5mm and internal diameter 14mm)

3号360单喷嘴塑枪B
Model 3 1-outlet 360 plastic spray gun B



5



6



7



8

22x1.5管接头 (22x1.5 外螺纹)
22X1.5 tube connector
(22mm x1.5mm external screw thread)

580管接头 (22x1.5 内螺纹)
580 tube connector
(22mm x1.5mm internal screw thread)

快插管接头
Quick tube connector

22x1.5 内14 (22x1.5 外螺纹)
22mm x1.5mm 14mm (inner diameter)
(22mm x1.5mm external screw thread)

3号枪 Series 3 Gun

最高压力28Mpa
Maximum Pressure 28mpa

3号快插A快接塑枪(B+50)
Model 3 plastic spray gun with A-type connector (B+50)

3213



3号可换接头A大两位塑枪(B+50)
Model 3 2-outlet plastic spray gun (B+50, A-type connector changeable)

3214



GF360两位塑枪A(B+50)
最高压力18-30MP 长度约1000MM
GF360 2-outlet plastic spray gun A (B+50)
Maximum pressure 18-30MP length 1000mm

3215



GF可换塑枪单喷嘴塑枪(B+38)
最高压力18-30MP 长度约1000MM
GF 1-nozzle exchangeable plastic spray gun (B+38)
Maximum pressure 18-30MP length 1000mm

3216



3号22x1.5内14A活接塑枪(B+50)
Model 3 plastic spray gun B+50 with removable connector
(external screw thread 22mm x 1.5mm and internal diameter 14mm)

3217

进水管接头图例



280平口接头 (14x1.5螺纹)
280 Plain End Connector
(14mm X1.5mm screw thread)



280管接头 (14x1.5螺纹)
280 tube connector
(14mm X1.5mm screw thread)



360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)



3/8管接头
3/8 tube connector

4号枪 Series 4 Gun

最高压力25/35Mpa
Maximum Pressure 25/35mpa



4301



4302



4303



4304

4号快插活接塑枪D
Model 4 plastic spray gun D with removable nozzle

4号360大两位塑枪D
Model 4 2-outlet plastic spray gun D external

Model 4 2-outlet plastic spray gun D (screw thread 22mm x 1.5mm and internal diameter 15mm)
4号22X1.5内15活接两位塑枪D
No. 4 foam head plastic gun D



4305



4306



4307



4308

4号360活接旋转喷嘴塑枪D
Model 4 rotary-nozzle 360 plastic spray gun D

4号360单喷嘴塑枪D
Model 4 1-outlet 360 plastic spray gun D

4号快插旋转塑枪D
Model 4 rotary-nozzle plastic spray gun D

4号360活接(350公斤)塑枪C
Model 4 rotary-nozzle 360 plastic spray gun C (350kg)



4309



4310



4311

4号36015公分活接塑枪D
Model 4 360 plastic spray gun D (15cm) with removable connector

4号15公分喇叭口塑料枪D
No. 4 15 cm trumpet plastic gun D

4号旋转塑枪B大两位
Model 4 2-outlet rotary-nozzle plastic spray gun B



4312



4313



4314

4号四个喷嘴塑枪
Model 4 4-outlet plastic spray gun

4号36015公分小两位塑枪
Model 4 2-outlet 360 plastic spray gun (15cm)

4号36015公分活接旋转喷嘴塑枪
Model 4 rotary-nozzle 360 plastic spray gun (15cm)



22x1.5管接头 (22x1.5 外螺纹)
22X1.5 tube connector
(22mm x1.5mm external screw thread)



580管接头 (22x1.5 内螺纹)
580 tube connector
(22mm x1.5mm internal screw thread)



快接管接头
Quick tube connector



22x1.5内14(22x1.5 外螺纹)
22mm x1.5mm 14mm(inner diameter)
(22mm x1.5mm external screw thread)

4号枪 Series 4 Gun

最高压力25/35Mpa
Maximum Pressure 25/35mpa



4315



4316

4号快插活接塑枪B
Model 4 plastic spray gun B with removable nozzle

4号快插小两位塑枪B
Model 4 2-outlet plastic spray gun B



4317



4318

4号580活接旋转喷头塑枪B
Model 4 rotary-nozzle 580 plastic spray gun B

4号快插活接塑枪B
Model 4 plastic spray gun B with removable nozzle



4319

4号转动塑枪A (B+50)活接
Model 4 plastic spray gun A with quick connector (B+50)

4号大两位塑枪B(标准)
Model 4 2-outlet plastic spray gun B externa (Stand)

4320



4321

4号活接塑枪A(标准)
Model 4 2-outlet plastic spray gun A externa (Stand)

4号90公分杆活接塑枪A
Model 4 plastic spray gun A (90cm) with removable nozzle

4322

进水管接头图例



1



2



3



4

280平口接头 (14x1.5螺纹)
280 Plain End Connector
(14mm X1.5mm screw thread)

280管接头 (14x1.5螺纹)
280 tube connector
(14mm X1.5mm screw thread)

360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)

3/8管接头
3/8 tube connector

5号枪 Series 5 Gun

最高压力25Mpa
Maximum Pressure 25mpa



5201



5202



5203

5号两位塑枪D
Model 5 2-outlet plastic spray gun D

5号15公分活接塑枪D
Model 5 15cm plastic spray gun D with removable connector

5号两位塑枪C
Model 5 2-outlet plastic spray gun C



5204



5205



5206

5号调节塑枪D
Model 5 adjustable plastic spray gun D

5号活接塑枪D
Model 5 plastic spray gun D with removable connector

5号调节塑枪C
Model 5 adjustable plastic spray gun C



5207

5号活接塑枪C
Model 5 plastic spray gun C with removable connector



5208

5号两位塑枪A (C+38)
Model 5 2-outlet plastic spray gun A (C+38)



5209

5号调节塑枪A(C+38)
Model 5 2-outlet plastic spray gun A (C+38)



5210

5号活接塑枪A (C+50)
Model 5 plastic spray gun C (C+50) with removable connector



5



6



7



8

22x1.5管接头 (22x1.5 外螺纹)
22X1.5 tube connector
(22mm x1.5mm external screw thread)

580管接头 (22x1.5 内螺纹)
580 tube connector
(22mm x1.5mm internal screw thread)

快接管接头
Quick tube connector

22x1.5 内14(22x1.5 外螺纹)
22mm x1.5mm 14mm(inner diameter)
(22mm x1.5mm external screw thread)

5号枪 Series 5 Gun

最高压力25Mpa
Maximum Pressure 25mpa



5211



5212



5213

5号两位塑枪D
Model 5 2-outlet plastic spray gun D

5号大两位塑枪D
Model 5 2-outlet plastic spray gun D

5号套塑枪D两个喷嘴
Model 5 2-outlet spray gun D with plastic case



5214



5215



5216

5号吸液塑枪D
Model 5 plastic spray gun D

5号套塑枪D四个喷嘴
Model 5 4-outlet spray gun D with plastic case

5号15公分快插塑枪D
Model 5 15cm plastic spray gun D with quick connector



5217



5218



5219

5号15公分360旋转头塑枪D
Model 5 15cm 360 plastic spray gun D

5号15公分360塑枪D
Model 5 15cm 360 plastic spray gun D

5号15公分360塑枪D
Model 5 15cm 360 plastic spray gun D

进水管接头图例



1



2



3



4

280平口接头 (14x1.5螺纹)
280 Plain End Connector
(14mm X1.5mm screw thread)

280管接头 (14x1.5螺纹)
280 tube connector
(14mm X1.5mm screw thread)

360管接头 (18x1.5螺纹)
360 tube connector
(18mm x1.5mm screw thread)

3/8管接头
3/8 tube connector

5号枪 Series 5 Gun

最高压力25Mpa
Maximum Pressure 25mpa



5220

5号58A吸液
Model 5 58 plastic spray Aspirating gun A



5221

5号快插活接A(B+38)
Model 5 plastic spray gun D (B+38) with removable nozzle



5222

5号360活接A(B+38)
Model 5 360 plastic spray gun D (B+38) with removable connector



5223

5号快插360活接B
Model 5 360 plastic spray gun D with quick connector



5224

5号58B大两位
Model 5 2-outlet 58 plastic spray gun D



5225

5号360B小两位
Model 5 2-outlet 360 plastic spray gun D



5



6



7



8

22x1.5管接头 (22x1.5 外螺纹)
22x1.5 tube connector
(22mm x1.5mm external screw thread)

580管接头 (22x1.5 内螺纹)
580 tube connector
(22mm x1.5mm internal screw thread)

快接管接头
Quick tube connector

22x1.5 内14 (22x1.5 外螺纹)
22mm x1.5mm 14mm (inner diameter)
(22mm x1.5mm external screw thread)

最高压力25Mpa
Maximum Pressure 25 mpa



6301
6号3/8旋转C活接枪
No.6 rotary 3/8 spray gun C



6302
6号3/8旋转C活接枪
No.6 rotary 3/8 spray gun C



6303
6号快插A喇叭口
No.6 horn mouth spray gun A with removable nozzle



6304
6号快插A活接
No.6 spray gun A with removable nozzle



6305
6号3/8两截喇叭口
No.6 two-piece horn mouth 3/8 spray gun

最高压力40Mpa
Maximum Pressure 40mpa



7301
7号22x1.5内15A活接枪
No.7 22x1.5 spray gun A with removable nozzle internal diameter 15mm



7302
7号3/8旋转A活接枪
No.7 rotary 3/8 spray gun A with removable nozzle



1 3/8转280平口 3/8 to 280 Plain End Connector
2 3/8转22x1.5内14 3/8 to 22x1.5 internal diameter 14mm
3 3/8转360 3/8 to 360 Connector
4 3/8转22x1.5内15 3/8 to 22x1.5 internal diameter 15mm
5 3/8转3/8外丝 3/8 to 3/8 external diameter
6 3/8转快插 3/8 to removable Connector
7 3/8转280 3/8 to 280 Connector
8 3/8转580 3/8 to 580 Connector

最高压力35Mpa
Maximum Pressure 35mpa



8301
8号快插活接A枪
No.8 spray gun A with removable nozzle



8302
8号快插活接A弯杆枪
No.8 bended drill spray gun A with removable nozzle

8303
8号3/8内丝防缠绕C活接枪
No.8 3/8 inner wire anti-winding C live adapter



8304
8号清水枪
No.8 Clear water gun



8305
8号泡沫枪
No.8 Foam nozzle



1 3/8转280平口 3/8 to 280 Plain End Connector
2 3/8转22x1.5内14 3/8 to 22x1.5 internal diameter 14mm
3 3/8转360 3/8 to 360 Connector
4 3/8转22x1.5内15 3/8 to 22x1.5 internal diameter 15mm
5 3/8转3/8外丝 3/8 to 3/8 external diameter
6 3/8转快插 3/8 to removable Connector
7 3/8转280 3/8 to 280 Connector

最高压力35Mpa
Maximum Pressure 35mpa

9301

9号快插活接A自锁枪
No. 9 quick plug hook to A self - locking gun

9302

9号快插活接C自锁枪
No. 9 quick plug hook to C self - locking gun

1901

19号3/8内丝旋转C活接
No. 9 3/8 inner wire rotation C live connection

1902

19号3/8内丝旋转内活接
No. 8 3/8 inner wire rotary inner live connection



500kg系列
500kg series



500公斤长枪
500kg Lance



500公斤长枪(新款)
500kg Lance (new style)



旋转喷头: FPT500参数:

1. 本产品主要通过高速旋转的高压水, 射向物体表面, 达到清洁被射物体表面的目的, 绿色无污染。
2. 组件主体采用优质铸钢, 一体成型, 坚固耐磨, 安全可靠。
3. 内部采用优质陶瓷喷嘴, 陶瓷喷嘴座, 大大提升使用寿命。
4. 本产品工作压力7250PSI (50MPa), 流量4.71GPM (17.83L/min), 请务必搭配满足条件的泵使用。
5. 使用时, 请避免枪头对准人或者动物, 以免造成不必要的伤害。
6. 使用过程中, 操作者必须佩戴耳塞, 护目镜, 穿戴防护服, 以免意外伤害。



500公斤混砂器
500 kg sand mixer

旋转喷头: FPT500参数:

1. 本产品主要通过高速旋转的高压水, 射向物体表面, 达到清洁被射物体表面的目的, 绿色无污染。
2. 组件主体采用优质铸钢, 一体成型, 坚固耐磨, 安全可靠。
3. 内部采用优质陶瓷喷嘴, 陶瓷喷嘴座, 大大提升使用寿命。
4. 本产品工作压力7250PSI (50MPa), 流量4.71GPM (17.83L/min), 请务必搭配满足条件的泵使用。
5. 使用时, 请避免枪头对准人或者动物, 以免造成不必要的伤害。
6. 使用过程中, 操作者必须佩戴耳塞, 护目镜, 穿戴防护服, 以免意外伤害。

特种枪 Special Gun Series

S102

4号喷沙枪
Model 4 sandblast gun



S101

4号两截式快插枪
Model 4 2-section plastic spray gun



H201

H(2)280鸭嘴塑枪
280 duckbill plastic spray gun H2



H202

H(2)280鸭嘴塑枪(平口)
280 duckbill plastic spray gun H2 (plain end)



S103

塑料泡沫枪
Foam spray gun



S104

水汽枪
Water & air spray gun



特种枪 Special Gun Series

S106

2号360D空调枪
Model 2 air-conditioner 360 spray gun D



S107

8号3/8快插枪
No.8 3/8 spray gun with removable nozzle



S108

2号快插C空调枪
Model 2 air-conditioner 360 spray gun C with quick connector



S109

1号快接塑枪B
Model 1 plastic spray gun B with quick connector



S110

空调枪头
Nozzle for the air-conditioner spray gun



S111

4号双管枪
Model 4 double-barrel spray gun



S112

PSP33-快插高压清洗枪
PSP33- high pressure spray gun



S113

泡沫铁枪
Foam spray gun (made of iron)



S114

家用喷花枪
Household spray gun



铜枪 Copper Gun Series



调节套塑280清洗枪
280 spray gun with plastic case

鸭嘴280清洗枪
Duckbill 280 spray gun

280套塑两位清洗枪
2-Outlet 280 spray gun with plastic case

套塑580清洗枪
580 spray gun with plastic case



普通280清洗枪
280 spray gun

斜口清洗枪
Diagonal spray gun

电镀280清洗枪
Plated 280 spray gun

宝塔型家用清洗枪
Pagoda-type household spray gun



G114

580清洗钉枪
580 spray gun



G117

加大全铜280清洗枪
Copper 280 spray gun



G118

套塑调节加38公分杆清洗枪
Spray gun with plastic case and 38cm spray lance



G120

套塑两位加38公分杆清洗枪
2-outlet spray gun with plastic case and 38cm spray lance



G122

套塑鸭嘴加38公分杆清洗枪
Duckbill spray gun with plastic case and 38cm spray lance

喷杆 Spray Gun



P101 带螺帽喷杆组件
Part with spray lance and nut



P102 喷杆组件
Part with spray lance and nut



P103 10公分喷杆
10cm spray lance



P104 塑料喷杆
Plastic spray lance



P105 15公分喷杆 带活接头
15cm spray lance with quick connector



P106 38公分喷杆
38cm spray lance



P107 15公分喷杆
15cm spray lance



P108 30公分喷杆 带活接头
15cm spray lance with quick connector



P109 40公分喷杆
40cm spray lance



P110 50公分喷杆
50cm spray lance



P111 50公分弯喷杆
50cm bent spray lance



P112 30公分不锈钢喷杆
30cm stainless steel spray lance



P113 100公分不锈钢喷杆
100cm stainless steel spray lance



P114 50公分不锈钢喷杆
50cm stainless steel spray lance



P115 60公分不锈钢喷杆
60cm stainless steel spray lance



P116 50公分不锈钢无缝喷杆
50cm stainless steel seamless spray lance



P117 70公分不锈钢喷杆
70cm stainless steel spray lance



P118 100公分不锈钢喷杆
100cm stainless steel spray lance



P119 150公分不锈钢喷杆
150cm stainless steel spray lance

P120 40公分电镀喷杆
40cm electroplate spray lance



铜、铁气室座 Air Chamber Seat

P120



36型铜气室座B
Copper 36 air chamber seat B

P121



36型B铁气室座
Iron 36 air chamber seat B

P122



铜36型2斤
Copper 36 type (2kg)

P123



36型铜圆头(轻)
Copper filler head 36 type (light)

P124



铁36型气室座 (重)
Iron 36 air chamber seat (heavy)

P125



铜40型2斤
Copper 40 type (2kg)

P126



铁40型气室座
Iron 40 air chamber seat

P127



铁方头(螺纹)
Iron square head (screw thread)

P128



2斤铜方头
Copper square head (2kg)

P129



铁方头
Iron square head

P130



40型铜圆气室座 (重)
Copper square-head air chamber seat 40 type (heavy)

P131



55型铁气室座
Iron air chamber seat 55 type

P132



55型铁进水
Copper water inlet part 55 type

P133



55型铜进水
Copper water inlet part 55 type

P134



55型B气室座
B air chamber seat 55 type

P135



55型铜气室座
Copper air chamber seat 55 type

P136



55型铁缸体
55 type iron cylinder

P137



55型铁缸体
55 type steel cylinder

P138



铁出水室
Iron water outlet chamber

P139



435黑猫泵头
435 black cat pump head

配件 Accessories

P140



4040铜出水室
4040 copper water outlet chamber

P143



28型铜衬套
28 copper lining

P144



1号塑枪阀体套
Valve lining for model 1 spray gun

P145



2号塑枪阀体套
Valve lining for model 2 spray gun

P146



3号新阀体套
Valve lining for model 3 spray gun

P147



4号塑枪阀体套
Valve lining for model 4 spray gun

P148



5号塑枪阀体套
Valve lining for model 5 spray gun

P150



360号铝枪接头
Connector for 360 aluminum spray gun

P151



280号铝枪接头
Connector for 280 aluminum spray gun

P152



塑枪喷杆接头A
Connector A for spray lance of plastic spray gun

P153



塑枪喷杆接头B
Connector B for spray lance of plastic spray gun

P154



塑枪喷杆接头C
Connector C for spray lance of plastic spray gun

P155



58铝枪接头
Connector for 58 aluminum spray gun

P156



两位喷头接头
Connector for 2-outlet nozzle

P157



喷杆接头A
Connector A for spray lance

P158



铜三角
Copper triangle

P159



40A阻尼锥阀
40A conic damping valve

P160



调节喷嘴
Adjustable nozzle

P161



铜枪喷嘴A
Nozzle A for copper spray gun

P162



铜枪喷嘴B
Nozzle B for copper spray gun

配件 Accessories

P163



电镀喷嘴
Plated nozzle

P164



调节枪枪芯
Core part of adjustable spray gun

P165



2号塑枪压紧螺丝
Housing pin for model 2 plastic spray gun

P166



铜枪压紧螺帽
Tightening nut for copper spray gun

P167



1号塑枪压紧螺丝
Housing pin for model 1 plastic spray gun

P168



五位喷头
Five spot sprinkler

P169



六位喷头
Six head sprinkler

P170



大两位喷头
Connector for 2-outlet nozzle

P171



鸭嘴喷头
Duckbill nozzle

P172



塑枪调节喷头
Adjustable nozzle for plastic spray gun

P173



塑枪单喷头
1-outlet nozzle for plastic spray gun

P174



两位喷头套
Connector for 2-outlet nozzle

P175



3/8快活接头
3/8 quick connector

P176



1/2快活接头
1/2 quick connector

P177



1/4快活接头
1/4 quick connector

P178



1/4外丝活接
1/4 connector for external thread

P179



3/4活接
3/4 connector

P180



1/4大活接
1/4 connector

P181



3/8内丝快插
3/8 quick connector for internal thread

P182



3/8外丝快插
3/8 connector for external thread

P183



10x1内丝快插
10*1 quick connector for internal thread

P184



1/4内丝快插
1/4 quick connector for internal thread

P185



360快插
360 quick connector

P189



高压枪喷杆组件
spray lance subassembly for high pressure spray gun

P190



塑枪握手
Handle for plastic spray gun

配件 Accessories

P191



快速活接(不锈钢)
Quick live connection (stainless steel)

P192



Adapter from 18mm x 1.5mm
connector to G1/2 connector
18x1.5转G1/2

P193



快速活接1号
Quick live connection to one

P194



快速活接2号
Quick trap two

P195



22 x 1.5转内螺纹3/8接头
Adapter from 22mm x 1.5mm connector to
3/8 connector with internal screw thread

P196



3/8管接头 (铜)
3/8 tube connector (copper)

P197



3/8管接头 (铜)
3/8 tube connector (stainless steel)

P198



280管接头 (平口)
280 tube connector (plain end)

P199



3/8外丝快插
3/8 connector for external thread

P200



3/8管接头 (1/4螺纹)
3/8 tube connector
(1/4 screw thread)

P201



G3/8管接头
G3/8 tube connector

P202



360双丝接头(平头)
360 dual thread
connector (flat head)

P203



22x1.5内14双丝接头
dual thread connector (22mm x 1.5mm
and internal diameter 14mm)

P204



22x1.5内15双丝接头
dual thread connector (22mm x 1.5mm
and internal diameter 15mm)

P205



280钢丝管接头铜铁
280 steel wire tube connector (copper/iron)

P206



360双丝接头
360 dual thread connector

P208



280转换接头
Adapter for 280 connector

P209



580转360转换接头
Adapter from 580 to 360 connector

P210



外360快速接头
360 connector for external thread

P211



4040出水接头
4040 outlet connector

P213



G1/4转1/2
Adapter 1/4 to 1/4 connector

P214



280转22x1.5
Adapter 280 to 22*1.5 connector

P215



G1/2转22x1.5
Adapter G1/2 to 22*1.5 connector

P216



1/4转22x1.5
Adapter 1/4 to 22*1.5 connector

P217



3/8转22x1.5
Adapter 3/8 to 22*1.5 connector

P218



10x1转22x1.5
Adapter 10*1 to 22*1.5 connector

P219



18x1.5转22x1.5
Adapter 18*1.5 to 22*1.5 connector

配件 Accessories

P220



旋转喷头
Rotary nozzle

P221



葫芦旋转喷头
Hulu rotating nozzle

P222



低压旋转喷头
Low pressure rotating nozzle

P223



电镀旋转喷头
Plated rotary nozzle

P224



新型旋转喷头
New-type rotary nozzle

P225



22 x 1.5内14管接头
Tube connector (22x1.5mm
and internal diameter 14mm)

P226



360管接头
360 tube connector

P227



快接管接头
Quick connector

P228



58管接头
58 tube connector

P229



28管接头
28 tube connector

P231



排污接头
Blow-down connector

P232



套塑快接头
Quick connector with plastic case

P233



两段式防缠绕接头
Two section anti winding joint

P234



22x1.5转58
Adapter from 22*1.5 to 58 connector

P235



360转换接头
Adapter for 360 connector

P236



280转换接头
Adapter for 280 connector

P237



58转换接头
Adapter for 58 connector

P240



铜块(铝)
Copper/aluminum billet

P241



380铜块组件铝块组件
380 copper/aluminum billet subassembly

P242



1/4 内螺纹水老鼠
1/4 Sewage Mouse with internal thread

P243



3/8 快插水老鼠
3/8 Quick Connector Sewage Mouse

P244



3/8 快插水老鼠 (长款)
3/8 Quick Connector Long Sewage Mouse

P245



(螺纹) 4040组合阀
4040 combination valve (screw thread)

P246



4040组合铜 (斜口)
4040 copper combination part (bevel)

P247




四孔调节阀 (加重)
4-hole control valve (strengthened)

P248



四孔调节阀
4-hole control valve

配件 Accessories



配件 Accessories



伸缩清洗枪 Telescopic cleaning gun

不疏忽每一个细节
我们在你看不到的地方用心



01
ZHENG HANG

背带设计
采用背带设计
使用时长不怕累

02
ZHENG HANG

铝管枪杆
严选铝管材质
防生锈可用时长



03
ZHENG HANG

高压软管
严选优良材质
使用寿命长



04
ZHENG HANG

接口可更换
拒绝生锈，3个接口
有分量抗压使用寿命
长



05
ZHENG HANG

四节长度可调
每一节长度都可调整
可设置卡扣控制长度



06
ZHENG HANG

塑料卡扣
材质加厚，真材实料
轻松一按方便打开



产品名称 伸缩清洗枪	型号 SSG01
产品品牌 振航机电	产品净重 5.47KG
产品材质 不锈钢/塑料	水压 280KG
使用范围 清洗外墙、清洗轮船等	喷射距离 10M
规格 未伸长的长度145cm，伸长第二节长度280cm 伸长第三节长度413cm，最长560cm	

蒸汽清洗消毒一体机 All-in-one steam cleaning and disinfection machine

设备参数

蒸汽参数

电压	220V-240V/50Hz
电流	4-18A
功率	4600W
吸程	≥2M
射程	25M
蒸汽压力	0.6MPA
连续工作时间	180Min
蒸汽管长度	3m
蒸汽温度	120-150℃

消毒参数

电压	100V-240V/50Hz
电率	10W
空气净化量	50-150m2/h
杀菌率	99.90%
气量输出	4L/H
工作压力	15MPA
臭氧发重量	400Mg/H
臭氧管长度	150CM

冷/热水参数

电压	220V-240V/50Hz
电流	4-18A
功率	冷水95W热水4600W
吸程	1.5M
射程	10CM
水压	0.4-0.8MPA
连续工作时间	20H
最大流量	5L/min
热水温度	90℃

脉冲参数

脉冲系统功率	120W
工作电压	220V
工作频率	50Hz
水泵工作压力	0.8MPA
水泵流量	5L/min
脉冲进水管长	5M
脉冲出水管长	5M
排污管长	10M



多功能集于一身

适用范围广，一机多用，打造洁净环境





蒸汽洗车机

个性化的洗车服务，高端人士的首选

特点

- (1) 采用低温蒸汽，对车漆无伤害。
- (2) 耗水量低，较之传统洗车节省90%水量。
- (3) 符合国家节能环保政策。
- (4) 低温蒸汽避免了北方冬季洗车易结冰的问题。
- (5) 低温蒸汽更柔和，避免高压水冲击沙粒对漆面的损害。

优势

- (1) 能适应节能环保的大市场趋势
随着国际化节能环保机制和意识的提高，传统高压水洗车因不节约水资源，造成大量废水污染等弊端，蒸汽洗车正好解决了这些问题，蒸汽洗车必将成为一种新的发展趋势。
- (2) 能适应各种场所的洗车服务
蒸汽洗车具备无废水污染的优势，洗车服务可开展到上门移动洗车，地下停车场洗车，大型商场停车场洗车，家庭用户自助洗车。
- (3) 能进行全方位洗车
蒸汽洗车机可灵活调节干湿度，不同于高压水洗车，除清洗车身外，还可以清洗引擎，清洗车内沙发、顶棚、空调、坐垫、脚垫、玩具、饰品等，达到全面清洗。
- (4) 能将清洗提高为精洗
蒸汽精洗的主要概念是：首先蒸汽可全面清洗汽车的各个部位；而最重要的是蒸汽洗车不是单纯的高压加冷水的冲洗过程，而是通过蒸汽干燥的特性，以适当的压力和温度全面地对汽车每个细微部位进行清洁、杀菌、消毒、除味，达到更的洗车清洁度，将简单的清洗提高为精洗，更密切关系到车主的健康问题。

参数

型号	CZD9	CZS9	CZS15	CZS21	CZS30
功率 KW	9	9	15	21	30
电压 V	220	380	380	380	380
额定压力 Bar	8.0	8.0	8.0	8.0	8.0
蒸汽温度 ℃	110~170	110~170	110~170	110~170	110~170
汽水调节	有	有	有	有	有
汽管长度 m	10	10	10	10	10
配枪数量	2	2	2	2	2

洗地盘



洗地器

